



August 2017 News

PLEASE FORWARD TO YOUR COLLEAGUES

www.wikistim.org

If you are reading this newsletter for the first time, please visit the [ABOUT](#) section on the WIKISTIM home page, which describes WIKISTIM's unique resources and is accessible without registration.

WIKISTIM MEMBERSHIP CONTINUES TO GROW

We are happy to report that even in the midst of summer vacation season, WIKISTIM received 20 new registrants this month. We thank everyone who is helping us spread the word about WIKISTIM by sharing this email with your colleagues.

AUGUST 2017 STATUS

- 561 subscribers
- DBS citations 3786
- DRG citations 54
- GES citations 481
- PNS citations 49
- SCS citations 2072
- SNS citations 849

GES SECTION TO BE RENAMED GIS

Dr. Jiande Chen (of Johns Hopkins) suggested that we expand the GES (gastric electrical stimulation) section to include all GIS (gastrointestinal stimulation) citations covering the esophagus, stomach, small intestine, colon, rectum and anus). We will be implementing this change but will continue to limit our monthly update to The new name will expand the section to allow inclusion of any papers reporting primary data on stimulation in these additional anatomic areas, which Dr. Chen's students will hyper-abstract.

PROGRESS ON IMMEDIATE GOALS

We are getting close to releasing a version of WIKISTIM that will have an improved appearance and functionality on small screens. This will further our collaboration with Dr. Prasad Shirvalkar and Dr. Lawrence Poree , who are working with the NANS Residents and Fellows Section to maintain a list of landmark neuromodulation articles and make details from these studies readily available.

This month, we added DBS citations for Tourette's syndrome and Alzheimer's disease. This newsletter lists only those published in 2017, but the database now contains everything we could find that reports primary data. Also this month, we plan to include the remaining indications for DBS (e.g., anorexia and addiction).

We also continue to plan and develop improvements to the wiki-abstraction data entry process.

LONGER-TERM GOALS

- Continue building the PNS section.
- Build the non-invasive brain stimulation section.
- Add additional sections (e.g., VNS).

DONATIONS

Please visit the [DONATE](#) link on the WIKISTIM homepage for information on tax-deductible donations! Our goal is to keep WIKISTIM available free of charge. And please consider including Wikistim's parent non-profit, charitable corporation, The Neuromodulation Foundation, Inc., in your estate planning as Dr. Richard North has done.

FINANCIAL SUPPORT TO DATE

- Boston Scientific
- B. Todd Sitzman, MD, MPH
- Greatbatch
- Medtronic
- NEVRO
- Richard B. North, MD
- St Jude
- The NANS Foundation, now the Institute of Neuromodulation
- Thomas Abell, MD

In-kind support:

- The International Neuromodulation Society (publicity and conference registration)
- The Neuromodulation Foundation (parent non-profit: overhead and development)
- The North American Neuromodulation Society (publicity and conference registration)

CITATIONS OF NEW PAPERS THAT REPORT PRIMARY DATA ADDED AUGUST 2017

DBS (the WIKISTIM database is as comprehensive as we can make it for depression, epilepsy, dystonia, essential tremor, OCD, Alzheimer's, Tourette's, and Parkinson's—we are in the process of adding other indications)

1. Acera M, Molano A, Tijero B, Bilbao G, Lambarri I, Villoria R, Somme J, Ruiz de Goegui E, Gabilondo I, Gomez-Esteban JC. Long-term impact of subthalamic stimulation on cognitive function in patients with advanced Parkinson's disease. *Neurologia* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28712841>
2. Adams WK, Vonder Haar C, Tremblay M, Cocker PJ, Silveira MM, Kaur S, Baunez C, Winstanley CA. Deep-brain stimulation of the subthalamic nucleus selectively decreases risky choice in risk-preferring rats. *eNeuro* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28791332>
3. Akbarian-Tefaghi L, Akram H, Johansson J, Zrinzo L, Kefalopoulou Z, Limousin P, Joyce E, Hariz M, Wårdell K, Foltynie T. Refining the deep brain stimulation target within the limbic globus pallidus internus for Tourette syndrome. *Stereotact Funct Neurosurg* 2017 95(4):251-258 <https://www.ncbi.nlm.nih.gov/pubmed/28787721>
4. Akiyama H, Nukui S, Akamatu M, Hasegawa Y, Nishikido O, Inoue S. Effectiveness of spinal cord stimulation for painful camptocormia with Pisa syndrome in Parkinson's disease: a case report.

- BMC Neurol 2017 17(1):148 <https://www.ncbi.nlm.nih.gov/pubmed/28774283>
- 5. Akwa Y, Gondard E, Mann A, Capetillo-Zarate E, Alberdi E, Matute C, Marty S, Vaccari T, Lozano AM, Baulieu EE, Tampellini D. Synaptic activity protects against AD and FTD-like pathology via autophagic-lysosomal degradation. *Mol Psychiatry* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28696431>
 - 6. Badstuebner K, Gimsa U, Weber I, Tuchscherer A, Gimsa J. Deep brain stimulation of hemiparkinsonian rats with unipolar and bipolar electrodes for up to 6 weeks: behavioral testing of freely moving animals. *Parkinsons Dis* 2017 2017:5693589 <https://www.ncbi.nlm.nih.gov/pubmed/28758044>
 - 7. Baldermann JC, Hardenacke K, Hu X, Köster P, Horn A, Freund HJ, Zilles K, Sturm V, Visser-Vandewalle V, Jessen F, Maintz D, Kuhn J. Neuroanatomical characteristics associated with response to deep brain stimulation of the nucleus basalis of Meynert for Alzheimer's disease. *Neuromodulation* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28653404>
 - 8. Bergfeld IO, Mantione M, Hoogendoorn MLC, Horst F, Notten P, Schuurman PR, Denys D. Episodic memory following deep brain stimulation of the ventral anterior limb of the internal capsule and electroconvulsive therapy. *Brain Stimul* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28754306>
 - 9. Chen YC, Shi L, Zhu GY, Wang X, Liu DF, Liu YY, Jiang Y, Zhang X, Zhang JG. Effects of anterior thalamic nuclei deep brain stimulation on neurogenesis in epileptic and healthy rats. *Brain Res* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28764934>
 - 10. Cukiert A, Cukiert CM, Burattini JA, Mariani PP, Bezerra DF. Seizure outcome after hippocampal deep brain stimulation in patients with refractory temporal lobe epilepsy: a prospective, controlled, randomized, double-blind study. *Epilepsia* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28744855>
 - 11. Cury RG, Fraix V, Castrioto A, Pérez Fernández MA, Krack P, Chabardes S, Seigneuret E, Benabid AL, Moro E. Thalamic deep brain stimulation for tremor in Parkinson disease, essential tremor, and dystonia. *Neurology* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28768840>
 - 12. Dwarakanath S, Hegde A, Ketan J, Chandrajit P, Yadav R, Keshav K, Sampath S, Pal PK, Reddy YC. 'I swear, I can't stop it!' - a case of severe Tourette's syndrome treated with deep brain stimulation of anteromedial globus pallidus interna. *Neurol India* 2017 65(1):99-102 <https://www.ncbi.nlm.nih.gov/pubmed/28084249>
 - 13. Hauseux PA, Cyprien F, Cif L, Gonzalez V, Boulenger JP, Coubes P, Capdevielle D. Long-term follow-up of pallidal deep brain stimulation in teenagers with refractory Tourette syndrome and comorbid psychiatric disorders: about three cases. *Eur J Paediatr Neurol* 2017 21(1):214-217 <https://www.ncbi.nlm.nih.gov/pubmed/27436698>
 - 14. Israelashvili M, Smeets AYJM, Bronfeld M, Zeef DH, Leentjens AFG, van Kranen-Mastenbroek V, Janssen MLF, Temel Y, Ackermans L, Bar-Gad I. Tonic and phasic changes in anteromedial globus pallidus activity in Tourette syndrome. *Mov Disord* 2017 32(7):1091-1096 <https://www.ncbi.nlm.nih.gov/pubmed/28556479>
 - 15. King NKK, Krishna V, Sammartino F, Bari A, Reddy GD, Hodaie M, Kalia SK, Fasano A, Munhoz RP, Lozano AM, Hamani C. Anatomical targeting of the optimal location for thalamic deep brain stimulation in patients with essential tremor. *World Neurosurg* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28774764>
 - 16. Lefranc M, Zouitina Y, Tir M, Merle P, Ouendo M, Constans JM, Godefroy O, Peltier J, Krystkowiak P. Asleep robot-assisted surgery for the implantation of subthalamic electrodes provides the same clinical improvement and therapeutic window as awake surgery. *World Neurosurg* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28735132>
 - 17. Lythe V, Athauda D, Foley J, Mencacci NE, Jahanshahi M, Cipolotti L, Hyam J, Zrinzo L, Hariz M, Hardy J, Limousin P, Foltyne T. GBA-associated Parkinson's disease: progression in a deep brain

- stimulation cohort. *J Parkinsons Dis* 2017 epub
<https://www.ncbi.nlm.nih.gov/pubmed/28777757>
18. Peräkylä J, Sun L, Lehtimäki K, Peltola J, Öhman J, Möttönen T, Ogawa KH, Hartikainen KM. Causal evidence from humans for the role of mediodorsal nucleus of the thalamus in working memory. *J Cogn Neurosci* 2017 epub:1-13 <https://www.ncbi.nlm.nih.gov/pubmed/28777058>
 19. Sidiropoulos C, Bowyer SM, Zillgitt A, LeWitt PA, Bagher-Ebadian H, Davoodi-Bojd E, Schwab JM, Rammo R, Air E, Soltanian-Zadeh H. Multimodal imaging in a patient with hemidystonia responsive to GPi deep brain stimulation. *Case Rep Neurol Med* 2017;2017:9653520
<https://www.ncbi.nlm.nih.gov/pubmed/28744382>
 20. Smeets AY, Duits AA, Leentjens AF, Schruers K, van Kranen-Mastenbroek V, Visser-Vandewalle V, Temel Y, Ackermans L. Thalamic deep brain stimulation for refractory Tourette syndrome: clinical evidence for increasing disbalance of therapeutic effects and side effects at long-term follow-up. *Neuromodulation* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28102636>
 21. Thompson JA, Yin D, Ojemann SG, Abosch A. Use of the putamen as a surrogate anatomical marker for the internal segment of the globus pallidus in deep brain stimulation surgery. *Stereotact Funct Neurosurg* 2017;95(4):229-235
<https://www.ncbi.nlm.nih.gov/pubmed/28728152>
 22. van Wijk BCM, Neumann WJ, Schneider GH, Sander TH, Litvak V, Kühn AA. Low-beta corticopallidal coherence decreases during movement and correlates with overall reaction time. *Neuroimage* 2017;159:1-8 <https://www.ncbi.nlm.nih.gov/pubmed/28712991>
 23. van Wijk BCM, Pogosyan A, Hariz MI, Akram H, Foltyne T, Limousin P, Horn A, Ewert S, Brown P, Litvak V. Localization of beta and high-frequency oscillations within the subthalamic nucleus region. *Neuroimage Clin* 2017;16:175-183 <https://www.ncbi.nlm.nih.gov/pubmed/28794978>
 24. Wang Y, Li P, Gong F, Gao Y, Xu YY, Wang W. Micro lesion effect of the globus pallidus internus with deep brain stimulation in Parkinson's disease patients. *Acta Neurochir (Wien)* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28755172>
 25. Welter ML, Houeto JL, Thobois S, Bataille B, Guenot M, Worbe Y, Hartmann A, Czernecki V, Bardinet E, Yelnik J, du Montcel ST, Agid Y, Vidailhet M, Cornu P, Tanguy A, Ansquer S, Jaafari N, Poulet E, Serra G, Burbaud P, Cuny E, Aouizerate B, Pollak P, Chabardes S, Polosan M, Borg M, Fontaine D, Giordana B, Raoul S, Rouaud T, Sauvaget A, Jalenques I, Karachi C, Mallet L; STIC study group. Anterior pallidal deep brain stimulation for Tourette's syndrome: a randomised, double-blind, controlled trial. *Lancet Neurol* 2017;16(8):610-619
<https://www.ncbi.nlm.nih.gov/pubmed/28645853>
 26. Xia F, Yiu A, Stone SS, Oh S, Lozano AM, Josselyn SA, Frankland PW. Entorhinal cortical deep-brain stimulation rescues memory deficits in both young and old mice genetically engineered to model Alzheimer's disease. *Neuropsychopharmacology* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28540926>
 27. Yamamoto T, Uchiyama T, Higuchi Y, Asahina M, Hirano S, Yamanaka Y, Weibing L, Kuwabara S. Long term follow-up on quality of life and its relationship to motor and cognitive functions in Parkinson's disease after deep brain stimulation. *J Neurol Sci* 2017;379:18-21 epub
<https://www.ncbi.nlm.nih.gov/pubmed/28716237>

GES (updating our comprehensive list)

1. Hajer J, Novák M. Development of an autonomous endoscopically implantable submucosal microdevice capable of neurostimulation in the gastrointestinal tract. *Gastroenterol Res Pract* 2017;2017:8098067 <https://www.ncbi.nlm.nih.gov/pubmed/28717363>
2. Meleine M, Melchior C, Prinz P, Penfornis A, Coffin B, Stengel A, Ducrotté P, Gourcerol G. Gastrointestinal peptides during chronic gastric electrical stimulation in patients with intractable vomiting. *Neuromodulation* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28795473>

- Mowzoon M, Macedo FIB, Kaur J, Kolachalam R. Effectiveness and feasibility of robotic gastric neurostimulator placement in patients with refractory gastroparesis. *J Robot Surg* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28730536>

SCS (updating our comprehensive list)

- Abd-Elsayed A, Lee S, King C. Retrograde placement of spinal cord stimulator leads for treating resistant pelvic pain. *Saudi J Anaesth* 2017 11(3):366-367 <https://www.ncbi.nlm.nih.gov/pubmed/28757851>
- Akiyama H, Nukui S, Akamatu M, Hasegawa Y, Nishikido O, Inoue S. Effectiveness of spinal cord stimulation for painful camptocormia with Pisa syndrome in Parkinson's disease: a case report. *BMC Neurol* 2017 17(1):148 <https://www.ncbi.nlm.nih.gov/pubmed/28774283>
- Bendel MA, O'Brien T, Hoelzer BC, Deer TR, Pittelkow TP, Costandi S, Walega DR, Azer G, Hayek SM, Wang Z, Eldridge JS, Qu W, Rosenow JM, Falowski SM, Neuman SA, Moeschler SM, Wassef C, Kim C, Niazi T, Saifullah T, Yee B, Kim C, Oryhan CL, Warren DT, Lerman I, Mora R, Hanes M, Simopoulos T, Sharma S, Gilligan C, Grace W, Ade T, Mekhail NA, Hunter JP, Choi D, Choi DY. Spinal cord stimulator related infections: findings from a multicenter retrospective analysis of 2737 implants. *Neuromodulation* 2017 20(6):553-557 <https://www.ncbi.nlm.nih.gov/pubmed/28726312>
- Beyaz SG, Bal NŞ. Spinal cord stimulation for a patient with neuropathic pain related to congenital syringomyelia. *Korean J Pain* 2017 30(3):229-230 <https://www.ncbi.nlm.nih.gov/pubmed/28757924>
- Dong DS, Yu X, Wan CF, Liu Y, Zhao L, Xi Q, Cui WY, Wang QS, Song T. Efficacy of short-term spinal cord stimulation in acute/subacute zoster-related pain: a retrospective study. *Pain Physician* 2017 20(5):E633-E645 <https://www.ncbi.nlm.nih.gov/pubmed/28727708>
- Eckmann M, Papanastassiou A, Awad M. A unique case for spinal cord stimulation: successful treatment of small fiber neuropathy pain using multiple spinal cord stimulators. *Case Rep Med* 2017 2017:6969285 <https://www.ncbi.nlm.nih.gov/pubmed/28791051>
- Henssen DJHA, Scheepers N, Kurt E, Arnts I, Steegers M, Vissers K, van Dongen R, Engels Y. Patients' expectations on spinal cord stimulation for failed back surgery syndrome: a qualitative exploration. *Pain Pract* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28742245>
- Mishra AM, Pal A, Gupta D, Carmel JB. Paired motor cortex and cervical epidural electrical stimulation timed to converge in the spinal cord promotes lasting increases in motor responses. *J Physiol* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28752624>
- Pope JE, Deer TR, Falowski S, Provenzano D, Hanes M, Hayek SM, Amrani J, Carlson J, Skaribas I, Parchuri K, McRoberts WP, Bolash R, Haider N, Hamza M, Amirdelfan K, Graham S, Hunter C, Lee E, Li S, Yang M, Campos L, Costandi S, Levy R, Mekhail N. Multicenter retrospective study of neurostimulation with exit of therapy by explant. *Neuromodulation* 2017 20(6):543-552 <https://www.ncbi.nlm.nih.gov/pubmed/28714533>

SNS (updating our comprehensive list)

- Janssen PTJ, Meyer YM, Van Kuijk SMJ, Benninga MA, Stassen LPS, Bouvy ND, Melenhorst J, Breukink SO. Long-term outcome of intractable constipation treated by sacral neuromodulation: a comparison between children and adults. *Colorectal Dis* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28782277>
- Kinman CL, Hobson DTG, Agrawal A, Vyleta MS, Francis SL. Retroperitoneal hemorrhage after sacral neurostimulator placement for urgency urinary incontinence. *Female Pelvic Med Reconstr Surg* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28727645>
- Lu PL, Koppen IJN, Orsagh-Yentis DK, Leonhart K, Ambeba EJ, Deans KJ, Minneci PC, Teich S, Diefenbach KA, Alpert SA, Benninga MA, Yacob D, Di Lorenzo C. Sacral nerve stimulation for

- constipation and fecal incontinence in children: long-term outcomes, patient benefit, and parent satisfaction. *Neurogastroenterol Motil* 2017 epub
<https://www.ncbi.nlm.nih.gov/pubmed/28799195>
4. Mehmood S, Altawee WM. Long-term outcome of sacral neuromodulation in patients with idiopathic nonobstructive urinary retention: single-center experience. *Urol Ann* 2017 9(3):244-248 <https://www.ncbi.nlm.nih.gov/pubmed/28794590>
 5. Rydningen M, Riise S, Wilsgaard T, Lindsetmo RO, Norderval S. Sacral neuromodulation for combined faecal and urinary incontinence following obstetric anal sphincter injury. *Colorectal Dis* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28727899>
 6. Su X, Simenson HA, Paralikar K, Orser HD. Comparison of bladder inhibitory effects of patterned spinal nerve stimulation with conventional neuromodulation in the rat. *Neuromodulation* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/28782237>

EDITORIAL BOARD

Editor-in-chief

Richard B. North, MD

Section editors

Thomas Abell, MD, Gastric Electrical Stimulation

Tracy Cameron, PhD, Peripheral Nerve Stimulation

Roger Dmochowski, MD, Sacral Nerve Stimulation

Robert Foreman, MD, PhD, Experimental Studies

Elliot Krames, MD, Dorsal Root Ganglion Stimulation

Bengt Linderoth, MD, PhD, Experimental Studies

Richard B. North, MD, Spinal Cord Stimulation

B. Todd Sitzman, MD, MPH, At Large

Konstantin Slavin, MD, Deep Brain Stimulation

Kristl Vonck, MD, PhD, Section on DBS for Epilepsy

Richard Weiner, MD, Peripheral Nerve Stimulation

Jonathan Young, MD, Noninvasive Brain Stimulation

To be determined, Vagus Nerve Stimulation

Managing editor

Jane Shipley

Disclosure

WIKISTIM includes citations for indications that are or might be considered off-label in the United States.

Contact

The Neuromodulation Foundation, Inc.

117 East 25th Street

Baltimore, MD 21218

wikistim@gmail.com

wikistim.org

neuromodfound.org