



November 2017 News

PLEASE FORWARD TO YOUR COLLEAGUES

[www.wikistim.org](http://www.wikistim.org)

*If you are reading this newsletter for the first time, please visit the [ABOUT](#) section on the WIKISTIM home page, which describes WIKISTIM's unique resources and is accessible without registration.*

## DONATIONS

We are grateful to Dr. James Brennan, who made an individual donation to WIKISTIM last month. In this, he joins three members of our editorial board: Dr. Todd Sitzman, Dr. Richard North, and Dr. Thomas Abell. Dr. Brennan has the distinction of being the first individual we have yet to meet who has supported WIKISTIM in this way!

As we state in each newsletter, our goal is to keep WIKISTIM available free of charge. Thus, we rely on individual donations and grants. The list below shows financial support from the inception of WIKISTIM to today. We have just completed a round of grant applications (to Abbott, Nevro, Nuvectra, and Medtronic). Our funding from Boston Scientific is current. If you have any influence in these companies, please encourage the appropriate individuals to support WIKISTIM. Please also consider reducing your taxable income (assuming that you itemize deductions in the USA) by making an individual donation to WIKISTIM. We are also seeking funding from other sources and would welcome suggestions.

Donations can be made via the the [DONATE](#) link on the WIKISTIM or by sending a check to The Neuromodulation Foundation, 117 East 25<sup>th</sup> Street, Baltimore, MD 21218.

## FINANCIAL SUPPORT FROM BEGINNING TO DATE

- Boston Scientific
- B. Todd Sitzman, MD, MPH
- Greatbatch
- James Brennan, MD
- Medtronic
- NEVRO
- Richard B. North, MD
- St Jude
- The NANS Foundation, now the Institute of Neuromodulation
- Thomas Abell, MD

### In-kind support:

- The International Neuromodulation Society (publicity and conference registration)
- The Neuromodulation Foundation (parent non-profit: overhead and development)


- The North American Neuromodulation Society (publicity and conference registration)

### NANS ABSTRACT ACCEPTED

Once again, NANS has accepted our abstract detailing WIKISTIM's growth and enhancements. We hope you are planning to attend the [2018 NANS Annual Meeting in Las Vegas](#) on January 11-14<sup>th</sup> and that you will make a point of speaking to us about WIKISTIM as we present our abstract.

### MEMBERSHIP

Our membership total is now 591 subscribers from 34 countries. We know that a few people have registered more than once, but we offer our assurances that no member of our Managing Editor's family has signed up! With your help, we should exceed 600 in the next month.



### NOVEMBER 2017 STATUS OF CITATION LISTS

- DBS 4055
- DRG 60
- GES 482
- PNS 50
- SCS 2105
- SNS 862

### ONGOING EFFORTS

We continue to work on 1) enhancing WIKISTIM's appearance and functionality on small screens, 2) improvements to the wiki-abstraction data entry process, and 3) strengthening links with [www.neuromodfound.org](#), which presents the practice parameters for the use of SCS to treat neuropathic pain.

### LONGER-TERM GOALS

- Continue building the PNS section.
- Build the non-invasive brain stimulation section.
- Add additional sections (e.g., VNS).

## CITATIONS OF NEW PAPERS THAT REPORT PRIMARY DATA ADDED NOVEMBER 2017

### DBS

1. Akram H, Miller S, Lagrata S, Hariz M, Ashburner J, Behrens T, Matharu M, Zrinzo L. Optimal deep brain stimulation site and target connectivity for chronic cluster headache. *Neurology* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29030455>
2. Allert N, Jusciute E, Weirich O, Daryaeitabar M, Nolden BM, Karbe H. Long-term stability of short circuits in deep brain stimulation. *Neuromodulation* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29064606>
3. Anthofer J, Herbst A, Janzen A, Lange M, Brawanski A, Schlaier J. Deep brain stimulation: custom-made silicone-coated pulse-generator implantation after allergic reaction to generator compounds. *Acta Neurochir (Wien)* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29116383>
4. Barros G, Lang MJ, Mouchtouris N, Sharan AD, Wu C. Impact of trajectory planning with susceptibility-weighted imaging for intracranial electrode implantation. *Oper Neurosurg (Hagerstown)* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29048589>
5. Bonmassar G, Golestanirad L. EM fields comparison between planar vs. solenoidal μMS coil designs for nerve stimulation. *Conf Proc IEEE Eng Med Biol Soc* 2017 2017:3576-3579 <https://www.ncbi.nlm.nih.gov/pubmed/29060671>
6. Cai Z, Feng Z, Guo Z, Zhou W, Wang Z, Wei X. Novel stimulation paradigms with temporally-varying parameters to reduce synchronous activity at the onset of high frequency stimulation in rat hippocampus. *Front Neurosci* 2017 epub 11:563 <https://www.ncbi.nlm.nih.gov/pubmed/29066946>
7. Chan HH, Cooperrider J, Chen Z, Gale JT, Baker KB, Wathen CA, Modic CR, Park HJ, Machado AG. Lateral cerebellar nucleus stimulation has selective effects on glutamatergic and GABAergic perilesional neurogenesis after cortical ischemia in the rodent model. *Neurosurgery* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29029200>
8. Chen SC, Chu PY, Hsieh TH, Li YT, Peng CW. Feasibility of deep brain stimulation for controlling the lower urinary tract functions: an animal study. *Clin Neurophysiol* 2017 128(12):2438-2449 <https://www.ncbi.nlm.nih.gov/pubmed/29096218>
9. Chen T, Mirzadeh Z, Chapple KM, Lambert M, Evidente VGH, Moguel-Cobos G, Oravivattanakul S, Mahant P, Ponce FA. Intraoperative test stimulation versus stereotactic accuracy as a surgical end point: a comparison of essential tremor outcomes after ventral intermediate nucleus deep brain stimulation. *J Neurosurg* 2017 epub:1-9 <https://www.ncbi.nlm.nih.gov/pubmed/29027853>
10. Cordon I, Nicolás MJ, Arrieta S, Alegre M, Artieda J, Valencia M. Theta-phase closed-loop stimulation induces motor paradoxical responses in the rat model of Parkinson disease. *Brain Stimul* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29051091>
11. Daneshzand M, Faezipour M, Barkana BD. Hyperbolic modeling of subthalamic nucleus cells to investigate the effect of dopamine depletion. *Comput Intell Neurosci* 2017 2017:5472752 <https://www.ncbi.nlm.nih.gov/pubmed/29056964>
12. De Jesus S, Almeida L, Shahgholi L, Martinez-Ramirez D, Roper J, Hass CJ, Akbar U, Wagle Shukla A, Raike RS, Okun MS. Square biphasic pulse deep brain stimulation for essential tremor: the BiP tremor study. *Parkinsonism Relat Disord* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29102253>
13. Deng C, Sun T, Manning Zhang, Gale JT, Montgomery EB, Santaniello S. Effects of the temporal pattern of subthalamic deep brain stimulation on the neuronal complexity in the globus pallidus. *Conf Proc IEEE Eng Med Biol Soc* 2017 2017:3352-3355 <https://www.ncbi.nlm.nih.gov/pubmed/29060615>

14. Dürschmid S, Reichert C, Kuhn J, Freund HJ, Hinrichs H, Heinze HJ. Deep brain stimulation of the nucleus basalis of Meynert attenuates early EEG components associated with defective sensory gating in patients with Alzheimer disease – a two-case study. *Eur J Neurosci* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29055119>
15. Eitan R, Fontaine D, Benoît M, Giordana C, Darmon N, Israel Z, Linesky E, Arkadir D, Ben-Naim S, Iserlles M, Bergman H, Hulse N, Abdelghani M, McGuffin P, Farmer A, DeLea P, Ashkan K, Lerer B. One year double blind study of high vs low frequency subcallosal cingulate stimulation for depression. *J Psychiatr Res* 2017 96:124-134 <https://www.ncbi.nlm.nih.gov/pubmed/29032294>
16. Floden DP, Matias CM, Wathen CA, Ozinga GE, Hogue O, Machado AG. Contact location and neuropsychological outcomes in subthalamic deep brain stimulation. *Neurosurgery* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29048606>
17. García-Ruiz PJ, Feliz-Feliz C, Ayerbe Gracia J, Matías Arbelo J, Salvador C, Val Fernández JD, García-Caldentey J. Deep brain stimulation in parkinsonian patients with dopa intolerance. Spanish. *Neurocirugia (Astur)* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29089239>
18. Gill EL, Marks M, Yost RA, Vedam-Mai V, Garrett T. Monitoring dopamine ex vivo during electrical stimulation using liquid-microjunction surface sampling. *Anal Chem* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29088914>
19. Giorni A, Windels F, Stratton PG, Cook R, Silberstein P, Coyne T, Silburn PA, Sah P. Single-unit activity of the anterior globus pallidus internus in Tourette patients and posterior globus pallidus internus in dystonic patients. *Clin Neurophysiol* 2017 128(12):2510-2518 <https://www.ncbi.nlm.nih.gov/pubmed/29101846>
20. Golshan HM, Hebb AO, Hanrahan SJ, Nedrud J, Mahoor MH. A hierarchical structure for human behavior classification using STN local field potentials. *J Neurosci Methods* 2017 293:254-263 <https://www.ncbi.nlm.nih.gov/pubmed/29017898>
21. Hansen N, Chaieb L, Derner M, Hampel KG, Elger CE, Surges R, Staresina B, Axmacher N, Fell J. Memory encoding-related anterior hippocampal potentials are modulated by deep brain stimulation of the entorhinal area. *Hippocampus* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29034573>
22. Hardaway FA, Raslan AM, Burchiel KJ. Deep brain stimulation-related infections: analysis of rates, timing, and seasonality. *Neurosurgery* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29048556>
23. Helmers AK, Lübbing I, Deuschl G, Witt K, Synowitz M, Mehdorn HM, Falk D. Comparison of the battery life of nonrechargeable generators for deep brain stimulation. *Neuromodulation* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29105245>
24. Holtzheimer PE, Husain MM, Lisanby SH, Taylor SF, Whitworth LA, McClinton S, Slavin KV, Berman J, McKhann GM, Patil PG, Rittberg BR, Abosch A, Pandurangi AK, Holloway KL, Lam RW, Honey CR, Neimat JS, Henderson JM, DeBattista C, Rothschild AJ, Pilitsis JG, Espinoza RT, Petrides G, Mogilner AY, Matthews K, Peichel D, Gross RE, Hamani C, Lozano AM, Mayberg HS. Subcallosal cingulate deep brain stimulation for treatment-resistant depression: a multisite, randomised, sham-controlled trial. *Lancet Psychiatry* 2017 4(11):839-849 <https://www.ncbi.nlm.nih.gov/pubmed/28988904>
25. Huang HD, Santaniello S. Closed-loop low-frequency DBS restores thalamocortical relay fidelity in a computational model of the motor loop. *Conf Proc IEEE Eng Med Biol Soc* 2017 2017:1954-1957 <https://www.ncbi.nlm.nih.gov/pubmed/29060276>
26. Huang Y, Green AL, Hyam J, Fitzgerald J, Aziz TZ, Wang S. Oscillatory neural representations in the sensory thalamus predict neuropathic pain relief by deep brain stimulation. *Neurobiol Dis* 2017 109(Pt A):117-126 <https://www.ncbi.nlm.nih.gov/pubmed/29031639>

27. Husch A, V Petersen M, Gemmar P, Goncalves J, Hertel F. PaCER - a fully automated method for electrode trajectory and contact reconstruction in deep brain stimulation. *Neuroimage Clin* 2017 17:80-89 <https://www.ncbi.nlm.nih.gov/pubmed/29062684>
28. Kim K, Schedlbauer A, Rollo M, Karunakaran S, Ekstrom AD, Tandon N. Network-based brain stimulation selectively impairs spatial retrieval. *Brain Stimul* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29042188>
29. Kim SH, Lim SC, Kim J, Son BC, Lee KJ, Shon YM. Long-term follow-up of anterior thalamic deep brain stimulation in epilepsy: a 11-year, single center experience. *Seizure* 2017 52:154-161 <https://www.ncbi.nlm.nih.gov/pubmed/29040867>
30. Kim SH, Lim SC, Yang DW, Cho JH, Son BC, Kim J, Hong SB, Shon YM. Thalamo-cortical network underlying deep brain stimulation of centromedian thalamic nuclei in intractable epilepsy: a multimodal imaging analysis. *Neuropsychiatr Dis Treat* 2017 13:2607-2619 <https://www.ncbi.nlm.nih.gov/pubmed/29089767>
31. Kumar N, Murgai A, Naranian T, Jog M, Fasano A. Levodopa-carbidopa intestinal gel therapy after deep brain stimulation. *Mov Disord* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29105810>
32. Li G, Henriquez CS, Fröhlich F. Unified thalamic model generates multiple distinct oscillations with state-dependent entrainment by stimulation. *PLOS Comput Biol* 2017 13(10):e1005797 <https://www.ncbi.nlm.nih.gov/pubmed/29073146>
33. Linssen RSN, Oudijn MS, Mantione M, van den Munckhof P, Denys D, Schuurman PR. Body weight changes after deep brain stimulation for obsessive-compulsive disorder or depression. *Stereotact Funct Neurosurg* 2017 95(5):348-351 <https://www.ncbi.nlm.nih.gov/pubmed/29017175>
34. Malekmohammadi M, AuYong N, Price CM, Tsolaki E, Hudson AE, Pouratian N. Propofol-induced changes in  $\alpha$ - $\beta$  sensorimotor cortical connectivity. *Anesthesiology* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29068830>
35. Martel-Sauvageau V, Tjaden K. Vocalic transitions as markers of speech acoustic changes with STN-DBS in Parkinson's disease. *J Commun Disord* 2017 epub:1-11 <https://www.ncbi.nlm.nih.gov/pubmed/29032347>
36. Nakai T, Sato T, Soejima K, Takamine Y, Watanabe M, Kobayashi K, Oshima H, Fukaya C, Okumura Y, Ohkubo K, Kunimoto S, Watanabe I, Yoshino A, Hirayama A. Brain magnetic resonance imaging examination in a patient with non-magnetic resonance conditional pacemaker. *J Arrhythm* 2017 33(5):518-520 <https://www.ncbi.nlm.nih.gov/pubmed/29021863>
37. Neumann WJ, Staub-Bartelt F, Horn A, Schanda J, Schneider GH, Brown P, Kühn AA. Long term correlation of subthalamic beta band activity with motor impairment in patients with Parkinson's disease. *Clin Neurophysiol* 2017 128(11):2286-2291 <https://www.ncbi.nlm.nih.gov/pubmed/29031219>
38. Raymaekers S, Luyten L, Bervoets C, Gabriëls L, Nuttin B. Deep brain stimulation for treatment-resistant major depressive disorder: a comparison of two targets and long-term follow-up. *Transl Psychiatry* 2017 7(10):e1251 <https://www.ncbi.nlm.nih.gov/pubmed/29087373>
39. Salimpour Y, Chang-Chia Liu, Webber WR, Mills KA, Anderson WS. Subdural recordings from an awake human brain for measuring current intensity during transcranial direct current stimulation. *Conf Proc IEEE Eng Med Biol Soc* 2017 2017:1110-1113 <https://www.ncbi.nlm.nih.gov/pubmed/29060069>
40. Sanders TH. Stimulation of cortico-subthalamic projections amplifies resting motor circuit activity and leads to increased locomotion in dopamine-depleted mice. *Front Integr Neurosci* 2017 epub 11:24 <https://www.ncbi.nlm.nih.gov/pubmed/29033800>
41. Scholten M, Klemt J, Heilbronn M, Plewnia C, Bloem BR, Bunjes F, Krüger R, Gharabaghi A, Weiss D. Effects of subthalamic and nigral stimulation on gait kinematics in Parkinson's disease. *Front Neurol* 2017 epub 8:543 <https://www.ncbi.nlm.nih.gov/pubmed/29089922>

42. Shahidi GA, Rohani M, Parvaresh M, Haggi-Ashtiani B, Saeedi M, Rashedi R, Noori-Motlagh Z. Outcome of subthalamic nucleus deep brain stimulation on long-term motor function of patients with advanced Parkinson disease. *Iran J Neurol* 2017;16(3):107-111  
<https://www.ncbi.nlm.nih.gov/pubmed/29114364>
43. Smit JV, Jahanshahi A, Janssen MLF, Stokroos RJ, Temel Y. Hearing assessment during deep brain stimulation of the central nucleus of the inferior colliculus and dentate cerebellar nucleus in rat. *PeerJ* 2017;5:e3892 <https://www.ncbi.nlm.nih.gov/pubmed/29018625>
44. Stroop R, Holms F, Nakamura M, Lehrke R. A submammalian approach for cosmetically-improved implantation of deep brain stimulation generators. *World Neurosurg* 2017;epub  
<https://www.ncbi.nlm.nih.gov/pubmed/29061452>
45. Tinkhauser G, Pogosyan A, Tan H, Herz DM, Kühn AA, Brown P. Beta burst dynamics in Parkinson's disease OFF and ON dopaminergic medication. *Brain* 2017;140(11):2968-2981  
<https://www.ncbi.nlm.nih.gov/pubmed/29053865>
46. Titiz AS, Hill MRH, Mankin EA, M Aghajan Z, Eliashiv D, Tchemodanov N, Maoz U, Stern J, Tran ME, Schuette P, Behnke E, Suthana NA, Fried I. Theta-burst microstimulation in the human entorhinal area improves memory specificity. *Elife* 2017;epub  
<https://www.ncbi.nlm.nih.gov/pubmed/29063831>
47. Torres-Sanchez S, Perez-Caballero L, Mico JA, Celada P, Berrocoso E. Effect of deep brain stimulation of the ventromedial prefrontal cortex on the noradrenergic system in rats. *Brain Stimul* 2017;epub <https://www.ncbi.nlm.nih.gov/pubmed/29074339>
48. Tsuboi T, Watanabe H, Tanaka Y, Ohdake R, Hattori M, Kawabata K, Hara K, Ito M, Fujimoto Y, Nakatubo D, Maesawa S, Kajita Y, Katsuno M, Sobue G. Early detection of speech and voice disorders in Parkinson's disease patients treated with subthalamic nucleus deep brain stimulation: a 1-year follow-up study. *J Neural Transm (Vienna)* 2017;epub  
<https://www.ncbi.nlm.nih.gov/pubmed/29098450>
49. van Dijk KJ, Verhagen R, Bour LJ, Heida C, Veltink PH. Avoiding internal capsule stimulation with a new eight-channel steering deep brain stimulation lead. *Neuromodulation* 2017;epub  
<https://www.ncbi.nlm.nih.gov/pubmed/29034586>
50. Xia J, He P, Cai X, Zhang D, Xie N. Magnetic resonance and computed tomography image fusion technology in patients with Parkinson's disease after deep brain stimulation. *J Neurol Sci* 2017;381:250-255 <https://www.ncbi.nlm.nih.gov/pubmed/28991693>
51. Zhang Y, Xu S, Yang L, Xiao G, Zhang S, Gao F, Li Z, Wang M, Song Y, Cai X. Research on the synchronous detection of neuronal signals under a nerve stimulation system control. *Conf Proc IEEE Eng Med Biol Soc* 2017;2017:1126-1129 <https://www.ncbi.nlm.nih.gov/pubmed/29060073>

## GES

1. Alighaleh S, Angeli TR, Sathar S, O'Grady G, Cheng LK, Paskaranandavadiel N. Design and application of a novel gastric pacemaker. *Conf Proc IEEE Eng Med Biol Soc* 2017;2017:2181-2184  
<https://www.ncbi.nlm.nih.gov/pubmed/29060329>

## SCS

1. Al-Kaisy A, Palmisani S, Smith TE, Carganillo R, Houghton R, Pang D, Burgoyne W, Lam K, Lucas J. Long-term improvements in chronic axial low back pain patients without previous spinal surgery: a cohort analysis of 10-kHz high-frequency spinal cord stimulation over 36 months. *Pain Med* 2017;epub <https://www.ncbi.nlm.nih.gov/pubmed/29077889>
2. Cuellar CA, Mendez AA, Islam R, Calvert JS, Grahn PJ, Knudsen B, Pham T, Lee KH, Lavrov IA. The role of functional neuroanatomy of the lumbar spinal cord in effect of epidural stimulation. *Front Neuroanat* 2017;epub <https://www.ncbi.nlm.nih.gov/pubmed/29075183>
3. Di Lazzaro V, Mazzone P, Insola A, Florio L, Capone F, Ranieri F. Spinal cord stimulation for pain

- treatment failed to modify disease progression in a patient with amyotrophic lateral sclerosis. Clin Neurol Neurosurg 2017 163:108-109 <https://www.ncbi.nlm.nih.gov/pubmed/29096137>
- 4. DiMarco AF, Geertman RT, Tabbaa K, Polito RR, Kowalski KE. Minimally invasive method to activate the expiratory muscles to restore cough. J Spinal Cord Med 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29017400>
  - 5. Fridman G. Safe direct current stimulator design for reduced power consumption and increased reliability. Conf Proc IEEE Eng Med Biol Soc 2017 2017:1082-1085 <https://www.ncbi.nlm.nih.gov/pubmed/29060062>
  - 6. Goudman L, Smet I, Mariën P, De Jaeger M, De Groote S, Huysmans E, Putman K, Van Buyten JP, Buyl R, Moens M. Is the self-reporting of failed back surgery syndrome patients treated with spinal cord stimulation in line with objective measurements? Neuromodulation 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29105225>
  - 7. Huo X, Zhang G, Wu C, Zhang C. Electric field stimulation protects injured spinal cord from secondary inflammatory response in rats. Conf Proc IEEE Eng Med Biol Soc 2017 2017:1958-1961 <https://www.ncbi.nlm.nih.gov/pubmed/29060277>
  - 8. Khan H, Pilitsis JG, Prusik J, Smith H, McCallum SE. Pain remission at one-year follow-up with spinal cord stimulation. Neuromodulation 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29058361>
  - 9. Kim JE, Yang JH, Lee MK, Suh SW, Kang SW. Cervical myelopathy secondary to metallic irritation of the dura mater following insertion of a spinal cord stimulator in a patient with ossification of posterior longitudinal ligament. Pain Med 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29025152>
  - 10. Kriek N, Schreurs MWJ, Groeneweg JG, Dik WA, Tjiang GCH, Gültuna I, Stronks DL, Huygen FJPM. Spinal cord stimulation in patients with complex regional pain syndrome: a possible target for immunomodulation? Neuromodulation 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29064599>
  - 11. Kurklinsky S, Palmer SC, Arroliga MJ, Ghazi SM. Neuromodulation in postherpetic neuralgia: case reports and review of the literature. Pain Med 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29016994>
  - 12. Mesbah S, Angeli CA, Keynton RS, El-Baz A, Harkema SJ. A novel approach for automatic visualization and activation detection of evoked potentials induced by epidural spinal cord stimulation in individuals with spinal cord injury. PLOS One 2017 12(10):e0185582 <https://www.ncbi.nlm.nih.gov/pubmed/29020054>
  - 13. Muhammad S, Chaudhry SR, Yearwood TL, Krauss JK, Kinfe TM. Changes of metabolic disorders associated peripheral cytokine/adipokine traffic in non-obese chronic back patients responsive to burst spinal cord stimulation. Neuromodulation 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29064604>
  - 14. Rejc E, Angeli CA, Atkinson D, Harkema SJ. Motor recovery after activity-based training with spinal cord epidural stimulation in a chronic motor complete paraplegic. Sci Rep 2017 7(1):13476 <https://www.ncbi.nlm.nih.gov/pubmed/29074997>
  - 15. Takahashi K, Sawada A, Iwasaki S, Yama N, Takashima H, Onodera M, Hatakenaka M, Yamakage M. Three cases of implantation of a SureScan<sup>®</sup> system and MRI for investigating causes of pain. J Anesth 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29038851>
  - 16. Tamai K, Buser Z, Wang C, Paholpak P, Nakamura H, Wang JC, Hsieh PC. The primary diagnosis and the coexisting anxiety disorders have no impact on the additional surgical procedure after spinal cord stimulators implantation: an analysis of 11,029 patients. J Clin Neurosci 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29037934>
  - 17. Vakkala M, Järvimäki V, Kautiainen H, Haanpää M, Alahuhta S. Incidence and predictive factors of spinal cord stimulation treatment after lumbar spine surgery. J Pain Res 2017 epub

- <https://www.ncbi.nlm.nih.gov/pubmed/29042816>
18. van Beek M, Geurts JW, Slanger R, Schaper NC, Faber CG, Joosten EA, Dirksen CD, van Dongen RT, van Kuijk SMJ, van Kleef M. Severity of neuropathy is associated with long-term spinal cord stimulation outcome in painful diabetic peripheral neuropathy: five-year follow-up of a prospective two-center clinical trial. *Diabetes Care* 2017 epub  
<https://www.ncbi.nlm.nih.gov/pubmed/29109298>

## SNS

1. Adile B, Speciale P, Gugliotta G, Consiglio P, Manzone M, Adile G, Saitta S, Perino A, Calagna G. Efficacy and acceptance of the sacral neuromodulation in the treatment of female lower urinary tract dysfunctions. *Minerva Ginecol* 2017 epub  
<https://www.ncbi.nlm.nih.gov/pubmed/29083137>
2. Cui Z, Wang Z, Ye G, Zhang C, Wu G, Lv J. A novel three-dimensional printed guiding device for electrode implantation of sacral neuromodulation. *Colorectal Dis* 2017 epub  
<https://www.ncbi.nlm.nih.gov/pubmed/29110390>
3. Koh H, McSorley S, Hunt S, Quinn M, MacKay G, Anderson J. Sacral neuromodulation for faecal incontinence - 10 years' experience at a Scottish tertiary centre. *Surgeon* 2017 epub  
<https://www.ncbi.nlm.nih.gov/pubmed/29102296>
4. Lambrescak E, Wyart V, Meurette G, Faucheron JL, Thomas C, Atienza P, Lehur PA, Etienney I. Sacral nerve stimulation for fecal incontinence: how long should the test phase be? *Dis Colon Rectum* 2017 60(12):1314-1319 <https://www.ncbi.nlm.nih.gov/pubmed/29112568>
5. Lloyd JC, Gill BC, Pizarro-Berdichevsky J, Goldman HB. Removal of sacral nerve stimulation devices for magnetic resonance imaging: what happens next? *Neuromodulation* 2017 epub  
<https://www.ncbi.nlm.nih.gov/pubmed/29024404>
6. Su X, Cutinella M, Agran JE, Dinsmoor DA. Comparison of active stimulating electrodes of sacral neuromodulation. *Neuromodulation* 2017 epub  
<https://www.ncbi.nlm.nih.gov/pubmed/29065235>

## EDITORIAL BOARD

### Editor-in-chief

Richard B. North, MD

### Section editors

Thomas Abell, MD, Gastric Electrical Stimulation

Tracy Cameron, PhD, Peripheral Nerve Stimulation

Roger Dmochowski, MD, Sacral Nerve Stimulation

Robert Foreman, MD, PhD, Experimental Studies

Elliot Krames, MD, Dorsal Root Ganglion Stimulation

Bengt Linderoth, MD, PhD, Experimental Studies

Richard B. North, MD, Spinal Cord Stimulation

B. Todd Sitzman, MD, MPH, At Large

Konstantin Slavin, MD, Deep Brain Stimulation

Kristl Vonck, MD, PhD, Section on DBS for Epilepsy

Richard Weiner, MD, Peripheral Nerve Stimulation

Jonathan Young, MD, Noninvasive Brain Stimulation

To be determined, Vagus Nerve Stimulation

### Managing editor

Jane Shipley

**Disclosure**

WIKISTIM includes citations for indications that are or might be considered off-label in the United States.

**Contact**

The Neuromodulation Foundation, Inc.

117 East 25th Street

Baltimore, MD 21218

[wikistim@gmail.com](mailto:wikistim@gmail.com)

[wikistim.org](http://wikistim.org)

[neuromodfound.org](http://neuromodfound.org)