



January 2018 News

PLEASE FORWARD TO YOUR COLLEAGUES

www.wikistim.org

If you are encountering this newsletter for the first time, please visit the [ABOUT](#) section on the WIKISTIM [home page](#), which describes WIKISTIM's unique resources and is accessible without registration.

DONATIONS

We are grateful to the North American Neuromodulation Society for a three-year grant beginning in 2018 and for the recognition of the value of WIKISTIM that the support of the NANS leadership represents. While generous, this grant will not cover the entire operating cost that The Neuromodulation Foundation incurs to maintain and improve WIKISTIM, and we continue to urge those of you who use the site and can envision its future to make a donation via PAYPAL using this [DONATE](#) link or by sending a check to The Neuromodulation Foundation, 117 East 25th Street, Baltimore, MD 21218.

FINANCIAL SUPPORT FROM BEGINNING TO DATE

- Boston Scientific (current)
- B. Todd Sitzman, MD, MPH (current)
- Greatbatch
- James Brennan, MD (current)
- Medtronic
- NEVRO (current)
- Richard B. North, MD (current)
- St Jude
- The Donlin & Harriett Long Family Charitable Gift Fund (current)
- The NANS Foundation, now the Institute of Neuromodulation
- The North American Neuromodulation Foundation (beginning 2018)
- Thomas Abell, MD (current)

In-kind support:

- The International Neuromodulation Society (publicity and conference registration)
- The Neuromodulation Foundation (parent non-profit: overhead and development)
- The North American Neuromodulation Society (publicity and conference registration)

NANS 2018

The 2018 NANS Annual Meeting in Las Vegas on January 11-14th was an outstanding success by any measure, with more than 2000 people able to choose among training courses and scientific sessions. We

encourage WIKISTIM subscribers to plan on attending the next meeting in January 2019.

MEMBERSHIP

Just last month, we exceeded 600 subscribers. Now we have 635. Thank you for continuing to spread the word about WIKISTIM!

JANUARY 2018 STATUS OF CITATION LISTS

- DBS 4127
- DRG 64, with 8 completed WIKISTIM abstracts
- GES 464
- PNS 51
- SCS 2122, with 128 completed or partially completed WIKISTIM abstracts
- SNS 868

ONGOING EFFORTS

We are getting closer to launching improvements to the wiki-abstraction data entry process. To this end, we are developing a more detailed list of SCS data categories as well as a form-based data entry system. We also continue to plan our major update of www.neuromodfound.org, which presents the practice parameters for the use of SCS to treat neuropathic pain.

LONGER-TERM GOALS

- Continue building the PNS section.
- Build the non-invasive brain stimulation section.
- Add additional sections (e.g., VNS).

CITATIONS OF NEW PAPERS THAT REPORT PRIMARY DATA ADDED JANUARY 2018

DBS

1. Aoyagi K, Higuchi Y, Okahara Y, Yakufujiang M, Matsuda T, Yamanaka Y, Yamamoto T, Hirano S, Iwadate Y. Effects of bilateral pallidal deep brain stimulation on chorea after pulmonary thromboendarterectomy with deep hypothermia and circulatory arrest: a case report. *Acta Neurochir (Wien)* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29248962>
2. Artusi CA, Zibetti M, Romagnolo A, Rizzone MG, Merola A, Lopiano L. Subthalamic deep brain stimulation and trunk posture in Parkinson's disease. *Acta Neurol Scand* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29285760>
3. Bargiolas P, Eugster L, Oberholzer M, Debove I, Lachenmayer ML, Mathis J, Pollo C, Schüpbach WMM, Bassetti CL. Sleep-wake functions and quality of life in patients with subthalamic deep brain stimulation for Parkinson's disease. *PLoS One* 2017 12(12):e0190027 <https://www.ncbi.nlm.nih.gov/pubmed/29253029>
4. Barrett TF, Rasouli JJ, Taub P, Kopell BH. Preemptive surgical revision of impending deep brain stimulation hardware erosion. *World Neurosurg* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29258941>
5. Ben-Haim S, Falowski S. Evaluation of patient perspectives toward awake, frame-based deep-brain stimulation surgery. *World Neurosurg* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29288853>
6. Blake DT, Terry AV, Plagenhoef M, Constantinidis C, Liu R. Potential for intermittent stimulation of nucleus basalis of Meynert to impact treatment of Alzheimer's disease. *Commun Integr Biol* 2017 epub 10(5-6):e1389359 <https://www.ncbi.nlm.nih.gov/pubmed/29260798>

7. Bot M, van Rootselaar F, Contarino MF, Odekerken V, Dijk J, de Bie R, Schuurman R, van den Munckhof P. Deep brain stimulation for essential tremor: aligning thalamic and posterior subthalamic targets in 1 surgical trajectory. *Oper Neurosurg (Hagerstown)* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29281074>
8. Bouthour W, Wegrzyk J, Momjian S, Péron J, Fleury V, Tomkova Chaoui E, Horvath J, Boëx C, Lüscher C, Burkhard PR, Krack P, Zacharia A. Short pulse width in subthalamic stimulation in Parkinson's disease: a randomized, double-blind study. *Mov Disord* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29266392>
9. Bus S, van den Munckhof P, Bot M, Pal G, Ouyang B, Sani S, Verhagen Metman L. Borders of STN determined by MRI versus the electrophysiological STN. A comparison using intraoperative CT. *Acta Neurochir (Wien)* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29275518>
10. Choi KS, Noecker AM, Riva-Posse P, Rajendra JK, Gross RE, Mayberg HS, McIntyre CC. Impact of brain shift on subcallosal cingulate deep brain stimulation. *Brain Stimul* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29246748>
11. Dafsari HS, Reker P, Silverdale M, Reddy P, Pilleri M, Martinez-Martin P, Rizos A, Perrier E, Weiß L, Ashkan K, Samuel M, Evans J, Visser-Vandewalle V, Antonini A, Ray-Chaudhuri K, Timmermann L; EUROPAR and the IPMDS Non-Motor PD Study Group. Subthalamic stimulation improves quality of life of patients aged 61 years or older with short duration of Parkinson's disease. *Neuromodulation* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29266613>
12. Frizon LA, Shao J, Maldonado-Naranjo AL, Lobel DA, Nagel SJ, Fernandez HH, Machado AG. The safety and efficacy of using the O-arm intraoperative imaging system for deep brain stimulation lead implantation. *Neuromodulation* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29266520>
13. Goubareva NN, Fedorova NV, Bril' EV, Tomskiy AA, Gamaleya AA, Poddubskaya AA, Shabalov VA, Omarova SM. Effects of bilateral deep brain stimulation in the subthalamic nucleus using two methods of target structure verification. Russian. *Zh Nevrol Psichiatr Im S S Korsakova* 2017 117(11):24-30 <https://www.ncbi.nlm.nih.gov/pubmed/29265083>
14. Gratwickie J, Zrinzo L, Kahan J, Peters A, Beigi M, Akram H, Hyam J, Oswal A, Day B, Mancini L, Thornton J, Yousry T, Limousin P, Hariz M, Jahanshahi M, Foltyne T. Bilateral deep brain stimulation of the nucleus basalis of Meynert for Parkinson disease dementia: a randomized clinical trial. *JAMA Neurol* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29255885>
15. Hill DF, Parent KL, Atcherley CW, Cowen SL, Heien ML. Differential release of dopamine in the nucleus accumbens evoked by low-versus high-frequency medial prefrontal cortex stimulation. *Brain Stimul* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29239776>
16. Jakobs M, Kloß M, Unterberg A, Kiening K. Rechargeable internal pulse generators as initial neurostimulators for deep brain stimulation in patients with movement disorders. *Neuromodulation* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29316056>
17. Jin Y, Mao Z, Ling Z, Xu X, Xie G, Yu X. Altered emotional prosody processing in patients with Parkinson's disease after subthalamic nucleus stimulation. *Neuropsychiatr Dis Treat* 2017 epub 13:2965-2975 <https://www.ncbi.nlm.nih.gov/pubmed/29270014>
18. Kim MS, Jeong JS, Ryu HS, Choi SH, Chung SJ. Infection related to deep brain stimulation in patients with Parkinson disease: clinical characteristics and risk factors. *J Neurol Sci* 2017 383:135-141 <https://www.ncbi.nlm.nih.gov/pubmed/29246601>
19. Mann A, Gondard E, Tampellini D, Milsted JAT, Marillac D, Hamani C, Kalia SK, Lozano AM. Chronic deep brain stimulation in an Alzheimer's disease mouse model enhances memory and reduces pathological hallmarks. *Brain Stimul* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29246746>

20. Marceglia S, Rosa M, Servello D, Porta M, Barbieri S, Moro E, Priori A. Adaptive deep brain stimulation (aDBS) for Tourette syndrome. *Brain Sci* 2017 epub 8(1)
<https://www.ncbi.nlm.nih.gov/pubmed/29295486>
21. Marshall T, Pugh A, Fairchild A, Hass S. Patient preferences for device-aided treatments indicated for advanced Parkinson disease. *Value Health* 2017 20(10):1383-1393
<https://www.ncbi.nlm.nih.gov/pubmed/29241898>
22. McClelland VM, Fialho D, Flexney-Briscoe D, Holder GE, Elze MC, Gimeno H, Siddiqui A, Mills K, Selway R, Lin JP. Somatosensory evoked potentials and central motor conduction times in children with dystonia and their correlation with outcomes from deep brain stimulation of the globus pallidus internus. *Clin Neurophysiol* 2017 epub
<https://www.ncbi.nlm.nih.gov/pubmed/29254860>
23. Middlebrooks EH, Holanda VM, Tuna IS, Deshpande HD, Bredel M, Almeida L, Walker HC, Guthrie BL, Foote KD, Okun MS. A method for pre-operative single-subject thalamic segmentation based on probabilistic tractography for essential tremor deep brain stimulation. *Neuroradiology* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29307012>
24. Miocinovic S, Miller A, Swann NC, Ostrem JL, Starr PA. Chronic deep brain stimulation normalizes scalp EEG activity in isolated dystonia. *Clin Neurophysiol* 2017 129(2):368-376
<https://www.ncbi.nlm.nih.gov/pubmed/29288993>
25. Naesström M, Blomstedt P, Hariz M, Bodlund O. Deep brain stimulation for obsessive-compulsive disorder: knowledge and concerns among psychiatrists, psychotherapists and patients. *Surg Neurol Int* 2017 epub 8:298 <https://www.ncbi.nlm.nih.gov/pubmed/29285414>
26. Nazzaro JM, Pahwa R, Lyons KE. Symptomatic, non-infectious, non-hemorrhagic edema after subthalamic nucleus deep brain stimulation surgery for Parkinson's disease. *J Neurol Sci* 2017 383:42-46 <https://www.ncbi.nlm.nih.gov/pubmed/29246619>
27. Niemann M, Schneider GH, Kühn A, Vajkoczy P, Faust K. Longevity of implantable pulse generators in bilateral deep brain stimulation for movement disorders. *Neuromodulation* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29265529>
28. Servello D, Saleh C, Bona AR, Minichiello M, Zekaj E. Dual floor burr hole technique in deep brain stimulation: a retrospective study on 209 patients. *Surg Neurol Int* 2017 epub 8:280
<https://www.ncbi.nlm.nih.gov/pubmed/29279797>
29. Sobstyl M, Brzuszkiewicz-Kuźnicka G, Zaczyński A, Pasterski T, Aleksandrowicz M, Ząbek M. Long-term clinical outcome of bilateral pallidal stimulation for intractable craniocervical dystonia (Meige syndrome). Report of 6 patients. *J Neurol Sci* 2017 383:153-157
<https://www.ncbi.nlm.nih.gov/pubmed/29246604>
30. Southwell DG, Rutkowski MJ, San Luciano M, Racine C, Ostrem J, Starr PA, Larson PS. Before and after the veterans affairs cooperative program 468 study: deep brain stimulator target selection for treatment of Parkinson's disease. *Parkinsonism Relat Disord* 2017 epub
<https://www.ncbi.nlm.nih.gov/pubmed/29249683>
31. Su F, Wang J, Niu S, Li H, Deng B, Liu C, Wei X. Nonlinear predictive control for adaptive adjustments of deep brain stimulation parameters in basal ganglia-thalamic network. *Neural Netw* 2017 98:283-295 <https://www.ncbi.nlm.nih.gov/pubmed/29291546>
32. Sun L, Peräkylä J, Hartikainen KM. Frontal alpha asymmetry, a potential biomarker for the effect of neuromodulation on brain's affective circuitry-preliminary evidence from a deep brain stimulation study. *Front Hum Neurosci* 2017 epub 11:584
<https://www.ncbi.nlm.nih.gov/pubmed/29255409>
33. Torres CV, Lopez-Manzanares L, Navas-Garcia M, Pastor J, Vega-Zelaya L, Garcia-Pallero MA, Sola RG. Bilateral two-stage implantation for deep brain stimulation in the treatment of bilateral idiopathic Parkinson's disease: clinical outcomes. Spanish. *Rev Neurol* 2018 66(1):1-6
<https://www.ncbi.nlm.nih.gov/pubmed/29251336>

34. Trezza A, Landi A, Pilleri M, Antonini A, Giussani C, Sganzerla EP. Peri-electrode edema after bilateral subthalamic deep brain stimulation for Parkinson's disease. *J Neurosurg Sci* 2018; 62(1):103-105 <https://www.ncbi.nlm.nih.gov/pubmed/29239165>
35. Winter L, Heitland I, Saryyeva A, Lütjens G, Schwabe K, Heissler HE, Alam M, Kahl KG, Krauss JK. Acute effects of electrical stimulation of the bed nucleus of the stria terminalis/ internal capsule in obsessive-compulsive disorder. *World Neurosurg* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29274445>
36. Wu H, Miller KJ, Blumenfeld Z, Williams NR, Ravikumar VK, Lee KE, Kakusa B, Sacchet MD, Wintermark M, Christoffel DJ, Rutt BK, Bronte-Stewart H, Knutson B, Malenka RC, Halpern CH. Closing the loop on impulsivity via nucleus accumbens delta-band activity in mice and man. *Proc Natl Acad Sci USA* 2018; 115(1):192-197 <https://www.ncbi.nlm.nih.gov/pubmed/29255043>
37. Zhao X, Yang R, Wang K, Zhang Z, Wang J, Tan X, Zhang J, Mei Y, Chan Q, Xu J, Feng Q, Xu Y. Connectivity-based parcellation of the nucleus accumbens into core and shell portions for stereotactic target localization and alterations in each NAc subdivision in mTLE patients. *Hum Brain Mapp* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29266652>
38. Zsigmond P, Hemm-Ode S, Wårdell K. Optical measurements during deep brain stimulation lead implantation: safety aspects. *Stereotact Funct Neurosurg* 2018; 95(6):392-399 epub <https://www.ncbi.nlm.nih.gov/pubmed/29301132>

DRG

1. Billet B, Wynendaele R, Vanquathem NE. Wireless neuromodulation for chronic back pain: delivery of high-frequency dorsal root ganglion stimulation by a minimally invasive technique. *Case Rep Med* 2017 epub 2017:4203271 <https://www.ncbi.nlm.nih.gov/pubmed/29230247>
2. Simões ALB, Silva GAR, Giorgetto C, do Carmo-Campos EC, Dias FJ, Fazan VPS. Substance P in dorsal root ganglion neurons in young and adult rats, after nociceptive stimulation during the neonatal period. *Anat Rec (Hoboken)* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29244245>
3. Zuidema X, Schapendonk JWLC. Dorsal root ganglion stimulation: a treatment option for chronic pain due to refractory loin pain haematuria syndrome. *Neuromodulation* 2017; 20(8):841-843 <https://www.ncbi.nlm.nih.gov/pubmed/29220123>

GES

1. Laine M, Sirén J, Koskenpato J, Punkkinen J, Rantanen T, Typpö I, Kokkola A, Sallinen V. outcomes of high-frequency gastric electric stimulation for the treatment of severe, medically refractory gastroparesis in Finland. *Scand J Surg* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29268656>

PNFS

1. Ishak B, Campos B, Brunn H, Unterberg AW, Ahmadi R. Feasibility, safety, and efficacy of subcutaneous peripheral nerve field stimulation for the treatment of refractory low back pain: a two-year single-center study. *Neuroscience* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29248528>

SCS

1. Bocci T, De Carolis G, Paroli M, Baroscio D, Parenti L, Tollapi L, Valeriani M, Sartucci F. Neurophysiological comparison among tonic, high frequency, and burst spinal cord stimulation: novel insights into spinal and brain mechanisms of action. *Neuromodulation* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29314454>

2. Deckers K, De Smedt K, Mitchell B, Vivian D, Russo M, Georgius P, Green M, Vieceli J, Eldabe S, Gulve A, van Buyten JP, Smet I, Mehta V, Ramaswamy S, Baranidharan G, Sullivan R, Gassin R, Rathmell J, Gilligan C. New therapy for refractory chronic mechanical low back pain-restorative neurostimulation to activate the lumbar multifidus: one year results of a prospective multicenter clinical trial. *Neuromodulation* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29244235>
3. Lesperance LS, Lankarany M, Zhang TC, Esteller R, Ratté S, Prescott SA. Artifactual hyperpolarization during extracellular electrical stimulation: proposed mechanism of high-rate neuromodulation disproved. *Brain Stimul* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29289565>
4. Ooi M, Yanamoto F, Sato H, Takao Y, Okada M, Egi M, Mizobuchi S. Constant current vs. constant voltage systems for temporal spinal cord stimulation for intractable pain. *Acta Med Okayama* 2017 71(6):531-537 <https://www.ncbi.nlm.nih.gov/pubmed/29276227>
5. Rasekhi R, Babb D, Price C. Neuromodulatory BURST therapy for agent orange-induced peripheral neuropathy: a case report. *A Case Rep* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29210719>
6. Sharan AD, Riley J, Falowski S, Pope JE, Connolly AT, Karst E, Dalal N, Provenzano DA. Association of opioid usage with spinal cord stimulation outcomes. *Pain Med* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29244102>
7. Thomson SJ, Tavakkolizadeh M, Love-Jones S, Patel NK, Gu JW, Bains A, Doan Q, Moffitt M. Effects of rate on analgesia in kilohertz frequency spinal cord stimulation: results of the PROCO randomized controlled trial. *Neuromodulation* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29220121>
8. Watanabe M, Yamamoto T, Fukaya C, Obuchi T, Kano T, Kobayashi K, Oshima H, Yoshino A. Bipolar dual-lead spinal cord stimulation between two electrodes on the ventral and dorsal sides of the spinal cord: consideration of putative mechanisms. *Acta Neurochir (Wien)* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29224084>

SNS

1. Al-Shaiji TF, Malallah MA, Yaiesh SM, Al-Terki AE, Hassouna MM. Does psychological disturbance predict explantation in successful pelvic neuromodulation treatment for bladder dysfunction? A short series. *Neuromodulation* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29265565>
2. Gahzi AA, Banakhar MA, Elterman DS, Hassouna M. Radiographic position of the electrode as a predictor of the outcome of InterStim therapy. *Int Neurourol J* 2017 21(4):289-294 <https://www.ncbi.nlm.nih.gov/pubmed/29298468>
3. Jairam R, Drossaerts J, Marcelissen T, van Koeveringe G, Van Kerrebroeck P. Onset of action of sacral neuromodulation in lower urinary tract dysfunction what is the optimal duration of test stimulation? *J Urol* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29291416>
4. Vancaillie T, Kite L, Howard E, Chow J. Sacral neuromodulation for pelvic pain and pelvic organ dysfunction: a case series. *Aust N Z J Obstet Gynaecol* 2017 epub <https://www.ncbi.nlm.nih.gov/pubmed/29218704>
5. Xu Z, Fleming FJ, Justiniano CF, Becerra AZ, Boordy CI, Aquina CT, Temple LK, Speranza JR. Trends in surgeon-level utilization of sacral nerve stimulator implantation for fecal incontinence in New York State. *Dis Colon Rectum* 2018 61(1):107-114 <https://www.ncbi.nlm.nih.gov/pubmed/29215481>

EDITORIAL BOARD

Editor-in-chief

Richard B. North, MD

Section editors

Thomas Abell, MD, Gastric Electrical Stimulation
Tracy Cameron, PhD, Peripheral Nerve Stimulation
Roger Dmochowski, MD, Sacral Nerve Stimulation
Robert Foreman, MD, PhD, Experimental Studies
Elliot Krames, MD, Dorsal Root Ganglion Stimulation
Bengt Linderoth, MD, PhD, Experimental Studies
Richard B. North, MD, Spinal Cord Stimulation
B. Todd Sitzman, MD, MPH, At Large
Konstantin Slavin, MD, Deep Brain Stimulation
Kristl Vonck, MD, PhD, Section on DBS for Epilepsy
Richard Weiner, MD, Peripheral Nerve Stimulation
Jonathan Young, MD, Noninvasive Brain Stimulation
To be determined, Vagus Nerve Stimulation

Managing editor

Jane Shipley

Disclosure

WIKISTIM includes citations for indications that are or might be considered off-label in the United States.

Contact

The Neuromodulation Foundation, Inc.
117 East 25th Street
Baltimore, MD 21218
wikistim@gmail.com
wikistim.org
neuromodfound.org