



May 2018 News

PLEASE FORWARD TO YOUR COLLEAGUES

[www.wikistim.org](http://www.wikistim.org)

*If you are encountering this newsletter for the first time, please visit the [ABOUT](#) section on the WIKISTIM [home page](#), which describes WIKISTIM's unique resources and is accessible without registration.*

### COMPLETED DATASHEETS

We recently received a datasheet completed by the authors as soon as their manuscript was accepted for publication, and with the manuscript now hot off the press, we have uploaded the datasheet to the DRG section:

1. Skaribas I, Peccora C, Skaribas E. Single S1 dorsal root ganglion stimulation for intractable chronic regional pain syndrome foot pain after lumbar spine surgery: a case series. *Neuromodulation* epub 2018. See: <https://www.wikistim.org/drg/single-s1-dorsal-root-ganglion-stimulation-for-intractable-chronic-regional-pain-syndrome-foot-pain-after-lumbar-spine-surgery-a-case-series/>

This inspired WIKISTIM's Managing Editor to update some of the datasheets in the SCS section that were only partially finished. This activity reflects her desire for completion, but with many new articles awaiting abstracting, she will turn her attention in that direction next month.

1. de la Porte C, Van de Kelft E. Spinal cord stimulation in failed back surgery syndrome. *Pain* 52(1):55-61 1993 <https://www.wikistim.org/scs/spinal-cord-stimulation-in-failed-back-surgery-syndrome/>
2. Devulder J, de Laat M, van Bastelaere M, Rolly G. Spinal cord stimulation: a valuable treatment for chronic failed back surgery patients. *J Pain Symptom Manage* 13(5):296-301 1997 <https://www.wikistim.org/scs/spinal-cord-stimulation-a-valuable-treatment-for-chronic-failed-back-surgery-patients/>
3. Leclercq TA, Russo E. Epidural stimulation for pain control. French. *Neurochirurgie* 27(2):125-128 1981 <https://www.wikistim.org/scs/epidural-stimulation-for-pain-control-french/>
4. LeDoux MS, Langford KH. Spinal cord stimulation for the failed back syndrome. *Spine* 18(2):191-194 1993 <https://www.wikistim.org/scs/spinal-cord-stimulation-for-the-failed-back-syndrome/>  
Robb LG, Robb MP. Practical considerations in spinal cord stimulation. *Pain* 41(Suppl 1):S234 1990 <https://www.wikistim.org/scs/practical-considerations-in-spinal-cord-stimulation/>
5. Simpson BA. Spinal cord stimulation in 60 cases of intractable pain. *J Neurol Neurosurg Psychiatry* 54(3):196-199 1991 <https://www.wikistim.org/scs/spinal-cord-stimulation-in-60-cases-of-intractable-pain/>

We urge you to use the links provided above to see how well the datasheets render in the online view.

## **OTHER VOLUNTEER EFFORTS TO COMPLETE DATASHEETS**

Dr. Matthew McEwan, a fellow working with Dr. Salim Hayek in Cleveland, is organizing an effort by residents to complete SCS datasheets.

Dr. Jonathan Young, Section Editor for Noninvasive Brain Stimulation, has organized a team of undergraduate students at Duke to complete datasheets as we work together to develop this new section.

We thank everyone involved in these efforts to make WIKISTIM an increasingly valuable resource!

## **May 2018 STATISTICS**

### **Membership**

With membership at 691 this month, we expect to exceed 700 next month with your help. Thank you for continuing to spread the word about WIKISTIM! We continue to urge those of you who use the site and can envision its future to make a donation via PAYPAL using this [DONATE](#) link or by sending a check to The Neuromodulation Foundation, 117 East 25<sup>th</sup> Street, Baltimore, MD 21218. Please encourage institutional and corporate sponsors as well. We'd love to add your name and theirs to our list of financial supporters below!

### **Number of citations entered in each section**

- DBS 4286
- DRG 72, with 9 completed WIKISTIM abstracts
- GES 467
- PNS 53
- SCS 2166, with 128 completed or partially completed WIKISTIM abstracts
- SNS 890

## **SUPPORT FOR WIKISTIM**

### **Individual supporters**

- Thomas Abell, MD
- James Brennan, MD
- The Donlin & Harriett Long Family Charitable Gift Fund
- Richard B. North, MD
- B. Todd Sitzman, MD, MPH

### **Industry support**

- Boston Scientific
- Nevro

### **Nonprofit support**

- The International Neuromodulation Society (publicity and conference registration)
- The Neuromodulation Foundation, Inc. (WIKISTIM's parent organization)
- The North American Neuromodulation Society

## **CITATIONS ADDED for May 2018**

### **DBS**

1. Akazawa M, Konomura K, Shirowa T. Cost-minimization analysis of deep-brain stimulation using national database of Japanese health insurance claims. Neuromodulation 2018 epub

- <https://www.ncbi.nlm.nih.gov/pubmed/29697171>
2. Barbosa B, Carra RB, Duarte KP, Godinho F, de Andrade DC, Teixeira MJ, Barbosa ER, Cury RG. Bilateral subthalamic nucleus stimulation in refractory status dystonicus. *J Neurol Sci* 2018 388:159-161 <https://www.ncbi.nlm.nih.gov/pubmed/29627014>
  3. Bartek J Jr, Skyrman S, Nekludov M, Mathiesen T, Lind F, Schechtmann G. Hyperbaric oxygen therapy as adjuvant treatment for hardware-related infections in neuromodulation. *Stereotact Funct Neurosurg* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29614489>
  4. Bartoli A, Tyrand R, Vargas MI, Momjian S, Boëx C. Low frequency microstimulation is locally excitatory in patients with epilepsy. *Front Neural Circuits* 2018 epub 12:22 <https://www.ncbi.nlm.nih.gov/pubmed/29670511>
  5. Bentefour Y, Bennis M, Garcia R, Ba-M'hamed S. High-frequency stimulation of the infralimbic cortex, following behavioral suppression of PTSD-like symptoms, prevents symptom relapse in mice. *Brain Stimul* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29678443>
  6. Breen DP, Rohani M, Moro E, Mayberg HS, Zuroski M, Lozano AM, Fasano A. Functional movement disorders arising after successful deep brain stimulation. *Neurology* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29653985>
  7. Camalier CR, McHugo M, Zald DH, Neimat JS. The effect of deep brain stimulation therapy on fear-related capture of attention in Parkinson's disease and essential tremor: a comparison to healthy individuals. *J Neurol Disord* 2018 epub 6(1) <https://www.ncbi.nlm.nih.gov/pubmed/29657957>
  8. Chen Y, Ge S, Li Y, Li N, Wang J, Wang X, Li J, Jing J, Su M, Zheng Z, Luo T, Qiu C, Wang X. Role of the cortico-subthalamic hyperdirect pathway in deep brain stimulation for the treatment of Parkinson disease: a diffusion tensor imaging study. *World Neurosurg* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29605702>
  9. Cheng G, Yang Y, Wang Y, Tan H, Zhang S. Deep brain stimulation of the thalamic ventral intermediate nucleus for Benedikt's syndrome mainly present as tremor: a long-term case observation. *Acta Neurochir (Wien)* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29600395>
  10. Collins MK, Ding VY, Ball RL, Dolce DL, Henderson JM, Halpern CH. Novel application of virtual reality in patient engagement for deep brain stimulation: a pilot study. *Brain Stimul* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29631869>
  11. Dafsari HS, Petry-Schmelzer JN, Ray-Chaudhuri K, Ashkan K, Weis L, Dembek TA, Samuel M, Rizos A, Silverdale M, Barbe MT, Fink GR, Evans J, Martinez-Martin P, Antonini A, Visser-Vandewalle V, Timmermann L; EUROPAR; IPMDS Non Motor PD Study Group. Non-motor outcomes of subthalamic stimulation in Parkinson's disease depend on location of active contacts. *Brain Stimul* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29655586>
  12. Dafsari HS, Weiß L, Silverdale M, Rizos A, Reddy P, Ashkan K, Evans J, Reker P, Petry-Schmelzer JN, Samuel M, Visser-Vandewalle V, Antonini A, Martinez-Martin P, Ray-Chaudhuri K, Timmermann L; EUROPAR and the IPMDS Non Motor PD Study Group. Short-term quality of life after subthalamic stimulation depends on non-motor symptoms in Parkinson's disease. *Brain Stimul* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29655587>
  13. DiMarzio M, Pilitsis JG, Gee L, Peng S, Prusik J, Durphy J, Ramirez-Zamora A, Hanspal E, Molho E, McCallum SE. King's Parkinson's disease pain scale for assessment of pain relief following deep brain stimulation for Parkinson's disease. *Neuromodulation* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29608802>
  14. Ge S, Geng X, Wang X, Li N, Chen L, Zhang X, Huang Y, Li Y, Chen Y, Wang S, Gao G. Oscillatory local field potentials of the nucleus accumbens and the anterior limb of the internal capsule in heroin addicts. *Clin Neurophysiol* 2018 129(6):1242-1253 <https://www.ncbi.nlm.nih.gov/pubmed/29674090>

15. Gilbert F, Viaña JN. A personal narrative on living and dealing with psychiatric symptoms after DBS surgery. *Narrat Inq Bioeth* 2018 8(1):67-77  
<https://www.ncbi.nlm.nih.gov/pubmed/29657181>
16. Guerin B, Serano P, Iacono MI, Herrington TM, Widge AS, Dougherty DD, Bonmassar G, Angelone LM, Wald LL. Realistic modeling of deep brain stimulation implants for electromagnetic MRI safety studies. *Phys Med Biol* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29637905>
17. Herz DM, Little S, Pedrosa DJ, Tinkhauser G, Cheeran B, Foltynie T, Bogacz R, Brown P. Mechanisms underlying decision-making as revealed by deep-brain stimulation in patients with Parkinson's disease. *Curr Biol* 2018 28(8):1169-1178.e6  
<https://www.ncbi.nlm.nih.gov/pubmed/29606416>
18. Holden MS, Zhao Y, Haegelen C, Essert C, Fernandez-Vidal S, Bardinet E, Ungi T, Fichtinger G, Jannin P. Self-guided training for deep brain stimulation planning using objective assessment. *Int J Comput Assist Radiol Surg* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29619611>
19. Honey CM, Malhotra AK, Tarailo-Graovac M, van Karnebeek CDM, Horvath G, Sulistyanto A. GNAO1 mutation-induced pediatric dystonic storm rescue with pallidal deep brain stimulation. *J Child Neurol* 2018 33(6):413-416 <https://www.ncbi.nlm.nih.gov/pubmed/29661126>
20. Karl JA, Ouyang B, Colletta K, Verhagen Metman L. Long-term satisfaction and patient-centered outcomes of deep brain stimulation in Parkinson's disease. *Brain Sci* 2018 epub 8(4)  
<https://www.ncbi.nlm.nih.gov/pubmed/29614762>
21. Kesarwani R, Sankar T, Ba F. Acute and reversible crying following deep brain stimulation targeting the globus pallidus interna in dystonia. *J Neurol Sci* 2018 388:76-78  
<https://www.ncbi.nlm.nih.gov/pubmed/29627035>
22. Khabarova EA, Denisova NP, Dmitriev AB, Slavin KV, Verhagen Metman L. Deep brain stimulation of the subthalamic nucleus in patients with Parkinson disease with prior pallidotomy or thalamotomy. *Brain Sci* 2018 epub 8(4) <https://www.ncbi.nlm.nih.gov/pubmed/29659494>
23. Kumaravelu K, Oza CS, Behrend CE, Grill WM. Model-based deconstruction of cortical evoked potentials generated by subthalamic nucleus deep brain stimulation. *J Neurophysiol* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29694280>
24. Lee PS, Weiner GM, Corson D, Kappel J, Chang YF, Suski VR, Berman SB, Homayoun H, Van Laar AD, Crammond DJ, Richardson RM. Outcomes of interventional-MRI versus microelectrode recording-guided subthalamic deep brain stimulation. *Front Neurol* 2018 epub 9:241  
<https://www.ncbi.nlm.nih.gov/pubmed/29695996>
25. Lim LH, Idris Z, Reza F, Wan Hassan WMN, Mukmin LA, Abdullah JM. Language mapping in awake surgery: report of two cases with review of language networks. *Asian J Neurosurg* 2018 13(2):507-513 <https://www.ncbi.nlm.nih.gov/pubmed/29682074>
26. Liu Y, Liu ZY, Wan XH, Guo Y. Progress in the diagnosis and management of chorea-acanthocytosis. *Chin Med Sci J.* 2018 33(1):53-59  
<https://www.ncbi.nlm.nih.gov/pubmed/29620515>
27. Liu Z, Liu Y, Wan X, Yang Y, Wang L, Dou W, Guo J, Wang Y, Guo Y, Ma W, Wang R. Pallidal deep brain stimulation in patients with chorea-acanthocytosis. *Neuromodulation* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29635714>
28. Lobato-Polo J, Ospina-Delgado D, Orrego-González E, Gómez-Castro JF, Orozco JL, Enriquez-Marulanda A. Deep brain stimulation surgery for status dystonicus: a single-center experience and literature review. *World Neurosurg* 2018 epub  
<https://www.ncbi.nlm.nih.gov/pubmed/29602003>
29. Luo H, Huang Y, Du X, Zhang Y, Green AL, Aziz TZ, Wang S. Dynamic neural state identification in deep brain local field potentials of neuropathic pain. *Front Neurosci* 2018 epub 12:237  
<https://www.ncbi.nlm.nih.gov/pubmed/29695951>
30. Matchen TD, Moehlis J. Phase model-based neuron stabilization into arbitrary clusters. *J Comput*

Neurosci 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29616382>

31. Mavridis IN. The intranuclear length of the electrode trajectory according to the 'port' model for deep brain stimulation of the nucleus accumbens. *Ann Transl Med* 2018 6(3):67  
<https://www.ncbi.nlm.nih.gov/pubmed/29611558>
32. Momin S, Mahlknecht P, Georgiev D, Foltynie T, Zrinzo L, Hariz M, Zacharia A, Limousin P. Impact of subthalamic deep brain stimulation frequency on upper limb motor function in Parkinson's disease. *J Parkinsons Dis* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29614696>
33. Mosley PE, Breakspear M, Coyne T, Silburn P, Smith D. Caregiver burden and caregiver appraisal of psychiatric symptoms are not modulated by subthalamic deep brain stimulation for Parkinson's disease. *NPJ Parkinsons Dis* 2018 epub 4:12  
<https://www.ncbi.nlm.nih.gov/pubmed/29675463>
34. Nagy E. Motor learning in dystonia: distorted feedback results in distorted motor learning and information-seeking compensatory behaviour. *Int J Rehabil Res* 2018 epub  
<https://www.ncbi.nlm.nih.gov/pubmed/29668533>
35. Nazmuddin M, Oterdoom DLM, van Dijk JMC, van Zijl JC, Kampman AK, Drost G, van Laar T, Beudel M. Oscillatory activity and cortical coherence of the nucleus basalis of Meynert in Parkinson's disease dementia. *Parkinsonism Relat Disord* 2018 epub  
<https://www.ncbi.nlm.nih.gov/pubmed/29665982>
36. Nozaki T, Asakawa T, Sugiyama K, Koda Y, Shimoda A, Mizushima T, Sameshima T, Namba H. Effect of subthalamic deep brain stimulation on upper limb dexterity in patients with Parkinson's disease. *World Neurosurg* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29654953>
37. Olchik MR, Ghisi M, Ayres A, Schuh AFS, Oppitz PP, Rieder CRM. The impact of deep brain stimulation on the quality of life and swallowing in individuals with Parkinson's disease. *Int Arch Otorhinolaryngol* 2018 22(2):125-129 <https://www.ncbi.nlm.nih.gov/pubmed/29619099>
38. Pan Y, Wang L, Zhang Y, Zhang C, Qiu X, Tan Y, Zhou H, Sun B, Li D. Deep brain stimulation of the internal globus pallidus improves response initiation and proactive inhibition in patients with Parkinson's disease. *Front Psychol* 2018 epub 9:351  
<https://www.ncbi.nlm.nih.gov/pubmed/29681869>
39. Park RJ, Scaife JC, Aziz TZ. Study protocol: Using deep-brain stimulation, multimodal neuroimaging and neuroethics to understand and treat severe enduring anorexia nervosa. *Front Psychiatry* 2018 epub 9:24 <https://www.ncbi.nlm.nih.gov/pubmed/29681866>
40. Schaeffer EL, Liu DY, Guerin J, Ahn M, Lee S, Asaad WF. A low-cost solution for quantification of movement during DBS surgery. *J Neurosci Methods* 2018 epub  
<https://www.ncbi.nlm.nih.gov/pubmed/29605668>
41. Son BC, Choi JG, Ha SW. Cerebrospinal fluid egress from the quadripolar deep brain stimulation electrode for anterior nucleus of the thalamus for refractory epilepsy. *Asian J Neurosurg* 2018 13(2):407-410 <https://www.ncbi.nlm.nih.gov/pubmed/29682045>
42. Spay C, Albares M, Lio G, Thobois S, Broussolle E, Lau B, Ballanger B, Boulinguez P. Clonidine modulates the activity of the subthalamic-supplementary motor loop: evidence from a pharmacological study combining DBS and EEG recordings in Parkinsonian patients. *J Neurochem* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29675956>
43. Takeda N, Hoesisawa S, Taira T, Kawamata T. Radiofrequency lesioning through deep brain stimulation electrodes in patients with generalized dystonia. *World Neurosurg* 2018 epub  
<https://www.ncbi.nlm.nih.gov/pubmed/29679783>
44. Ten Brinke TR, Odekerken VJJ, Dijk JM, van den Munckhof P, Schuurman PR, de Bie RMA. Directional deep brain stimulation: first experiences in centers across the globe. *Brain Stimul* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29661600>
45. Vedam-Mai V, Rodgers C, Gureck A, Vincent M, Ippolito G, Elkouzi A, Yachnis AT, Foote KD, Okun MS. Deep brain stimulation associated gliosis: a post-mortem study. *Parkinsonism Relat Disord*

2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29653910>

46. Wang DD, de Hemptinne C, Miocinovic S, Ostrem JL, Galifianakis NB, San Luciano M, Starr PA. Pallidal deep brain stimulation disrupts pallidal beta oscillations and coherence with primary motor cortex in Parkinson's disease. *J Neurosci* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29661966>
47. Wong J, Gunduz A, Shute J, Eisinger R, Cernera S, Ho KWD, Martinez-Ramirez D, Almeida L, Wilson CA, Okun MS, Hess CW. Longitudinal follow-up of impedance drift in deep brain stimulation cases. *Tremor Other Hyperkinet Mov (NY)* 2018 epub 8:542 <https://www.ncbi.nlm.nih.gov/pubmed/29607241>
48. Xie T, Bloom L, Padmanaban M, Bertacchi B, Kang W, MacCracken E, Dachman A, Vigil J, Satzer D, Zadikoff C, Markopoulou K, Warnke P, Kang UJ. Long-term effect of low frequency stimulation of STN on dysphagia, freezing of gait and other motor symptoms in PD. *J Neurol Neurosurg Psychiatry* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29654112>
49. Zhang S, Connolly AT, Madden L, Vitek JL, Johnson MD. High-resolution local field potentials measured with deep brain stimulation arrays. *J Neural Eng* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29651998>

#### **DRG**

1. Billet B, Hanssens K, De Coster O, Nagels W, Weiner RL, Wynendaele R, Vanquathem N. Wireless high-frequency dorsal root ganglion stimulation for chronic low back pain: a pilot study. *Acta Anaesthesiol Scand* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29671870>

#### **GES**

1. Omer E, Kedar A, Nagarajao HS, Nikitina Y, Vedanarayanan V, Subramony C, Lahr CJ, Abell TL. Cajal cell counts are important predictors of outcomes in drug refractory gastroparesis patients with neurostimulation. *J Clin Gastroenterol* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29672439>

#### **PNS**

1. van Gorp EJAA, Teernstra O, Aukes HJ, Hamm-Faber T, Bürger K, Kallewaard JW, Spincemaille G, Schapendonk JWLC, Vonhögen L, Bronkhorst E, Vissers KCP. Long-term effect of peripheral nerve field stimulation as add-on therapy to spinal cord stimulation to treat low back pain in failed back surgery syndrome patients: a 12-month follow-up of a randomized controlled study. *Neuromodulation* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29608807>

#### **SCS**

1. Al-Kaisy A, Palmisani S, Pang D, Sanderson K, Wesley S, Tan Y, McCammon S, Trescott A. Prospective, randomized, sham-control, double blind, crossover trial of subthreshold spinal cord stimulation at various kilohertz frequencies in subjects suffering from failed back surgery syndrome (SCS frequency study). *Neuromodulation* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29608229>
2. Bartek J Jr, Skyrman S, Nekludov M, Mathiesen T, Lind F, Schechtmann G. Hyperbaric oxygen therapy as adjuvant treatment for hardware-related infections in neuromodulation. *Stereotact Funct Neurosurg* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29614489>
3. Chung K, Kim ED. Erector spinae plane block at the lower thoracic level for postoperative pain management after spinal cord stimulation implantation. *Pain Med* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29688460>
4. Haddad FF, Mohsin I. Spinal cord stimulation treatment for chronic right subcostal neuralgia secondary to laparoscopic cholecystectomy: a case report. *A A Pract* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29634569>
5. Holwerda SW, Holland MT, Reddy CG, Pierce GL. Femoral vascular conductance and peroneal muscle sympathetic nerve activity responses to acute epidural spinal cord stimulation in humans. *Exp Physiol* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29603444>

6. Meuwissen KPV, Gu JW, Zhang TC, Joosten EAJ. Burst spinal cord stimulation in peripherally injured chronic neuropathic rats: a delayed effect. *Pain Pract* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29679457>
7. Scalone L, Zucco F, Lavano A, Costantini A, De Rose M, Poli P, Fortini G, Demartini L, De Simone E, Menardo V, Meglio M, Cozzolino P, Cortesi PA, Mantovani LG. Benefits in pain perception, ability function and health-related quality of life in patients with failed back surgery syndrome undergoing spinal cord stimulation in a clinical practice setting. *Health Qual Life Outcomes* 2018 16(1):68 <https://www.ncbi.nlm.nih.gov/pubmed/29673357>
8. Son BC, Choi JG, Ha SW. Twiddler's syndrome: a rare hardware complication in spinal cord stimulation. *Asian J Neurosurg* 2018 13(2):403-406 <https://www.ncbi.nlm.nih.gov/pubmed/29682044>
9. van Gorp EJAA, Teernstra O, Aukes HJ, Hamm-Faber T, Bürger K, Kallewaard JW, Spincemaille G, Schapendonk JWLC, Vonhögen L, Bronkhorst E, Vissers KCP. Long-term effect of peripheral nerve field stimulation as add-on therapy to spinal cord stimulation to treat low back pain in failed back surgery syndrome patients: a 12-month follow-up of a randomized controlled study. *Neuromodulation* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29608807>
10. Zhang Y, Yang Y, Si J, Xia X, He J, Jiang T. Influence of inter-stimulus interval of spinal cord stimulation in patients with disorders of consciousness: a preliminary functional near-infrared spectroscopy study. *Neuroimage Clin* 2017 epub 17:1-9 <https://www.ncbi.nlm.nih.gov/pubmed/29619317>

## SNS

1. Blok BFM. Sacral neuromodulation and onabotulinumtoxin A for refractory urge urinary incontinence offer similar success during 2-year follow-up. *Eur Urol* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29636255>
2. Duelund-Jakobsen J, Laurberg S, Lundby L. Functional outcome of sacral nerve stimulation for faecal incontinence can be improved by using lead-model 3889 and a standardized implantation technique. *Colorectal Dis* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29694697>
3. Marinkovic S, Ford JC. Improving clinical outcomes for women with overactive bladder and urinary retention symptoms: a comparison of motor response voltages (1 - 9) during stage 1 sacral neuromodulation. *BJU Int* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29637712>
4. Myer ENB, Petrikovets A, Slocum PD, Lee TG, Carter-Brooks CM, Noor N, Carlos DM, Wu E, van Eck K, Fashokun TB, Yurteri-Kaplan L, Chen CCG. Risk factors for explantation due to infection after sacral neuromodulation: a multicenter retrospective case-control study. *Am J Obstet Gynecol* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29630890>
5. Noblett K, Berg KC, Kan F, Siegel S. Baseline symptom severity and therapeutic success in a large prospective trial of sacral neuromodulation therapy for overactive bladder patients. *Neurourol Urodyn* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29635879>
6. Su X, Cutinella M, Koppes S, Agran JE, Dinsmoor DA. Electromyographic responses across different pulse-widths of sacral neuromodulation in sheep. *Neuromodulation* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29633438>
7. Weissbart SJ, Bhavsar R, Rao H, Wein AJ, Detre JA, Arya LA, Smith AL. Specific changes in brain activity during urgency in women with overactive bladder after successful sacral neuromodulation: an fMRI study. *J Urol* 2018 epub <https://www.ncbi.nlm.nih.gov/pubmed/29630979>

## EDITORIAL BOARD

### Editor-in-chief

Richard B. North, MD

**Section editors**

Thomas Abell, MD, Gastric Electrical Stimulation  
Tracy Cameron, PhD, Peripheral Nerve Stimulation  
Roger Dmochowski, MD, Sacral Nerve Stimulation  
Robert Foreman, MD, PhD, Experimental Studies  
Elliot Krames, MD, Dorsal Root Ganglion Stimulation  
Bengt Linderöth, MD, PhD, Experimental Studies  
Richard B. North, MD, Spinal Cord Stimulation  
B. Todd Sitzman, MD, MPH, At Large  
Konstantin Slavin, MD, Deep Brain Stimulation  
Kristl Vonck, MD, PhD, Section on DBS for Epilepsy  
Richard Weiner, MD, Peripheral Nerve Stimulation  
Jonathan Young, MD, Noninvasive Brain Stimulation  
To be determined, Vagus Nerve Stimulation

**Managing editor**

Jane Shipley

**Disclosure**

WIKISTIM includes citations for indications that are or might be considered off-label in the United States.

**Contact**

The Neuromodulation Foundation, Inc.  
117 East 25th Street  
Baltimore, MD 21218  
wikistim@gmail.com  
wikistim.org  
neuromodfound.org